

L Number	Hits	Search Text	DB	Time stamp
9	17	((data?depend\$3) OR (data ADJ depend\$3)) AND 380/29.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:44
2	16	((data?depend\$3) OR (data ADJ depend\$3)) AND 380/29.ccls.) AND (380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:44
3	19	((data?depend\$3) OR (data ADJ depend\$3)) AND (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:44
4	27	((data?depend\$3) OR (data ADJ depend\$3)) AND 380/29.ccls.) AND (380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))) OR (((data?depend\$3) OR (data ADJ depend\$3)) AND (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:44
5	8	(permut\$3 AND (offset\$4) AND substitut\$3) AND ((380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))) OR (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:44
6	10	((block?depend\$3) OR (\$block ADJ depend\$3)) AND ((380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))) OR (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:52
12	550	380/29.ccls. OR 380/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:32
13	19928393	(@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:33
14	416	(380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:33
15	2815	(data ADJ encryption ADJ standard) AND DES	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:36
16	6	permut\$3 NEAR10 (subkey OR sub?key OR (sub ADJ key)) NEAR10 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:35
17	1	(permut\$3 NEAR10 (subkey OR sub?key OR (sub ADJ key)) NEAR10 bit) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:08

18	5	((subkey OR sub?key OR (sub ADJ key)) NEAR5 (subblock OR sub?block OR (sub ADJ block))) AND ((data ADJ encryption AND standard) OR DES)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:10
20	3	((subkey OR sub?key OR (sub ADJ key)) NEAR5 (subblock OR sub?block OR (sub ADJ block))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:10
21	3	((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:11
19	5	((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((data ADJ encryption AND standard) OR DES)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:35
22	4	(((((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((data ADJ encryption AND standard) OR DES)) OR ((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))) AND (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:33
26	24	(\$2sub\$1i WITH \$5sub\$1j) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 14:04
27	220	permut\$3 AND (offset\$4) AND substitut\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:07
29	8	(permut\$3 AND (offset\$4) AND substitut\$3) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:10
30	2129	substitut\$3 NEAR5 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:11
31	8	substitut\$3 NEAR5 subkey	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:12
32	2	(substitut\$3 NEAR5 (sub\$1key OR (sub ADJ key))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:15
33	1	((permut\$3 OR permutat\$3) NEAR5 (sub\$1key OR (sub ADJ key)) NEAR5 bits) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:19

34	5	((permut\$3 OR permutat\$3) NEAR5 (sub\$1key OR (sub ADJ key))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:22
35	0	((cycl\$2 NEAR5 (offset\$4 OR shift\$3)) NEAR5 (sub\$1key OR (sub ADJ key))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:23
36	0	((cycl\$2 NEAR5 (offset\$4 OR shift\$3)) WITH (sub\$1key OR (sub ADJ key))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:24
37	0	((cycl\$2 WITH (offset\$4 OR shift\$3)) WITH (sub\$1key OR (sub ADJ key))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:24
38	22	((cycl\$2 NEAR5 (offset\$4 OR shift\$3)) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:24
39	13	((cycl\$2 NEAR5 (offset\$4 OR shift\$3)) NEAR5 bit) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:25
-	353	380/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 10:34
-	2	dual\$1locus OR (dual ADJ locus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 10:36
-	281	380/29.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:07
-	243	380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:07
-	11723	(data?depend\$3) OR (data ADJ depend\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:25
-	244	((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:17
-	0	permut\$3 AND (cyclic ADJ offset\$4) AND substitution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:19
-	1811	(\$block?depend\$3) OR (\$block ADJ depend\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:22

-	11455	(\$block?depend\$3) OR (\$block ADJ depend\$3) OR (\$block NEAR3 depend\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:22
-	62012	(data?depend\$3) OR (data ADJ depend\$3) OR (data NEAR3 depend\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:23
-	2155713	convert\$3 OR conversion	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:24
-	194	(convert\$3 OR conversion) AND ((380/29.ccls. AND (@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))) OR (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:25
-	416	(380/29.ccls. AND (@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))) OR (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:31
-	196	((data ADJ encryption ADJ standard) AND DES) AND ((380/29.ccls. AND (@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))) OR (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 18:32